Volume 49, 2000

Plant Pathology

An international journal edited by the
British Society for Plant Pathology

Senior Editor
R. C. Shattock

Volume Contents

b
Blackwell
Science

ISSN 0032-0862

Published by Blackwell Science Ltd
Typeset and printed by the Alden Group, Oxford.

©2000 British Society for Plant Pathology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the British Society for Plant Pathology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Senior Editor. 0032-0862/99 $15.

The Blackwell Science logo is a trade mark of Blackwell Science Ltd registered at the United Kingdom Trade Marks Registry.

Editorial Offices:
23 Ainslie Place, Edinburgh EH3 6AJ
25 St John Street, London WC1N 2BS
Osney Mead, Oxford OX2 0EL
54 University Street, Carlton South, Victoria 3053, Australia
Blackwell Science France, 10 rue Casimir Delavigne, 75006 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 104, Japan
Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA

ISSN 0032-0862

Contents

NUMBER 1 FEBRUARY

1 *Roy Johnson.* Editorial

3 *K. Bouchek-Mechiche, C. Pasco, D. Andrivon & B. Jouan.* Differences in host range, pathogenicity to potato cultivars and response to soil temperature among Streptomyces species causing common and netted scab in France

11 *A. Hermansen, A. Hannukkala, R. Hafskjold N'rstad & M. B. Brurberg.* Variation in populations of Phytophthora infestans in Finland and Norway: mating type, metalaxyl resistance and virulence phenotype

23 *V. H lias, D. Andrivon & B. Jouan.* Development of symptoms caused by Erwinia carotovora ssp. atroseptica under field conditions and their effects on the yield of individual potato plants

33 *V. H lias, D. Andrivon & B. Jouan.* Internal colonization pathways of potato plants by Erwinia carotovora ssp. atroseptica

43 *S. A. Weller, D. E. Stead, T. M. O'Neill, D. Hargreaves & G. M. McPherson.* Rhizogenic Agrobacterium biovar 1 and cucumber root mat in the UK

51 *M. Lobo Jnr, C. A. Lopes & W. L. C. Silva.* Sclerotinia rot losses in processing tomatoes grown under centre pivot irrigation in central Brazil

57 *L. J. Dugdale, A. M. Mortimer, S. Isaac & H. A. Collin.* Disease response of carrot and carrot somaclones to Alternaria dauci

68 *G. Dahal, R. Ortiz, A. Tenkouano, J. d'A. Hughes, G. Thottappilly, D. Vuylsteke & B. E. L. Lockhart.* Relationship between natural occurrence of banana streak badnavirus and symptom expression, relative concentration of viral antigen, and yield characteristics of some micropropagated Musa spp.

80 *A. Seddas, M. M. Haidar, C. Greif, C. Jacquet, G. Cloquemin & B. Walter.* Establishment of a relationship between grapevine leafroll closteroviruses 1 and 3 by use of monoclonal antibodies

86 *D. L. Davies.* The occurence of two phytoplasmas associated with stunted Rubus species in the UK

89 *L. A. M. de Haan, A. Numansen, E. J. A. Roebroeck & J. van Doorn.* PCR detection of Fusarium oxysporum f.sp. gladioli race 1, causal agent of Gladiolus yellows disease, from infected corms

101 *Y. H. Hsu, P. Annamalai, C. S. Lin, Y. Y. Chen, W. C. Chang & N. S. Lin.* A sensitive method for detecting bamboo mosaic virus (BaMV) and establishment of BaMV-free meristem-tip cultures

108 *C. B Pascual, T. Toda, A. D. Raymondo & M. Hyakumachi.* Characterization by conventional techniques and PCR of Rhizoctonia solani isolates causing banded leaf sheath blight in maize

119 *J. P. Clarkson, R. Kennedy & K. Phelps.* The effect of temperature and water potential on the production of conidia by sclerotia of Botrytis squamosa

129 *H. K. Ngugi, A. M. Julian, S. B. King & B. J. Peacocke.* Epidemiology of sorghum anthracnose (Colletotrichum sublineolum) and leaf blight (Exserohilum turcicum) in Kenya

141 *K. Narisawa, K. T. Ohki & T. Hashiba.* Suppression of clubroot and Verticillium yellows in Chinese cabbage in the field by the root endophytic fungus, Heteroconium chaetospira

147 *T. J. Jackson, T. Burgess, I. Colquhoun & G. E. StJ. Hardy.* Action of the fungicide phosphite on Eucalyptus marginata inoculated with Phytophthora cinnamoni

155 *T. R. Plyler, G. W. Simone, D. Fernandez & H. C. Kistler.* Genetic diversity among isolates of Fusarium oxysporum f.sp. canariensis

165 Book reviews

NUMBER 2 APRIL

171 *E. S. Colson-Hanks & B. J. Deverall.* Effect of 2,6-dichloroisonicotinic acid, its formulation materials and benzothiadiazole on systemic resistance to alternaria leaf spot in cotton

179 *V. Raggi.* Hydroxyproline-rich glycoprotein accumulation in tobacco leaves protected against Erysiphe cichoracearum by potato virus Y infection

187 *C. B asse, B. Ney & B. Tivoli.* A simple model of pea (Pisum sativum) growth affected by Mycosphaerella pinodes

201 *X.-M. Xu & J. D. Robinson.* Epidemiology of brown rot (Monilinia fructigena) on apple: infection of fruits by conidia

207 *X.-M. Xu & M. S. Ridout.* Stochastic simulation of the spread of race-specific and race-nonspecific aerial fungal pathogens in cultivar mixtures

219 *C. E. Caten & A. C. Newton.* Variation in cultural characteristics, pathogenicity, vegetative compatibility and electrophoretic karyotype within field populations of Stagonospora nodorum

227 *A. Roustaee, S. Costes, G. Dechamp-Guillaume & G. Barrault.* Phenotypic variabilty of Leptosphaeria lindquistii (anamorph: Phoma macdonaldii), a fungal pathogen of sunflower

235 *E. Duveiller & I. Garçia Altamirano.* Pathogenicity of Bipolaris sorokiniana isolates from wheat roots, leaves and grains in Mexico

243 *C. Alfonso, R. Raposo & P. Melgarejo.* Genetic diversity in Botrytis cinerea populations on vegetable crops in greenhouses in south-eastern Spain

252 *G. Mahuku, R. D. Peters, H. W. Platt & F. Daayf.* Random amplified polymorphic DNA (RAPD) analysis of Phytophthora infestans isolates collected in Canada during 1994 to 1996

261 *D. R. Simpson, H. N. Rezanoor, D. W. Parry & P. Nicholson.* Evidence for differential host preference in Microdochium nivale var. majus and Microdochium nivale var. nivale

269 *T. Hsiang, X. L. Ma, L. Yang & S. Cook.* Analyses of RAPD data for detection of host specialization in Sclerotinia homoeocarpa

276 *E. S. Mutasa-Gottgens, D. M. Chwarszczynska, K. Halsey & M. J. C. Asher.* Specific polyclonal antibodies for the obligate plant parasite Polymyxa - a targeted recombinant DNA approach

288 *F. d'Urso, M. A. Ayllçn, L. Rubio, A. Sambade, A. Hermoso de Mendoza, J. Guerri & P. Moreno.* Contribution of uneven distribution of genomic RNA variants of citrus tristeza virus (CTV) within the plant to changes in the viral population following aphid transmission

295 *J. Spak & D. Kubelkov* . Serological variability among European isolates of radish mosaic virus

302 *K. Madriz-Orde¤ana, R. Rojas-Montero, T. Lundsgaard, P. Ramjrez, H. Thordal-Christensen & D. B. Collinge.* Mechanical transmission of maize rayado fino marafivirus (MRFV) to maize and barley by means of the vascular puncture technique

308 *L. Galipienso, L. Navarro, J. F. Ballester-Olmos, J. A.*

Pina, P. Moreno & J. Guerri. Host range and symptomatology of a graft-transmissible pathogen causing bud union crease of citrus on trifoliate rootstocks

NUMBER 3 JUNE

315 *New Honorary Member of BSPP.* Dr Peter Richard Scott
317 *A. L. Ádám, A. A. Galal, K. Manninger & B. Barna.* Inhibition of the development of leaf rust (Puccinia recondita) by treatment of wheat with allopurinol and production of a hypersensitive-like reaction in a compatible host
324 *E. K. Dann & B. J. Deverall.* Activation of systematic disease resistance in pea by an avirulent bacterium or a benzothiadiazole, but not by a fungal leaf spot pathogen
333 *E. Fallik, Y. Aharoni, A. Copel, V. Rodov, S. Tuvia-Alkalai, B. Horev, O. Yekutieli, A. Wiseblum & R. Regev.* Reduction of postharvest losses of Galia melon by a short hot-water rinse
339 *I. Vloutoglou & S. N. Kalogerakis.* Effects of inoculum concentration, wetness duration and plant age on development of early blight (Alternaria solani) and on shedding of leaves in tomato plants
346 *L. Willocquet, L. Fernandez & S. Savary.* Effect of various crop establishment methods practised by Asian farmers on epidemics of rice sheath blight caused by Rhizoctonia solani
355 *A. Mpunami, A. Tymon, P. Jones & M. J. Dickinson.* Identification of potential vectors of the coconut lethal disease phytoplasma
363 *A. Padovan, K. Gibb & D. Persley.* Association of 'Candidatus Phytoplasma australiense' with green petal and lethal yellows diseases in strawberry
371 *J. Chen, J.-P. Chen, J.-P. Yang, Y. Cheng, A. Diao, M. J. Adams & J. Du.* Differences in cultivar response and complete sequence analysis of two isolates of wheat yellow mosaic bymovirus in China
377 *H. Suberi & T. V. Price.* Infection of onion leaves by Alternaria porri and Stemphylium vesicarium and disease development in controlled environments
385 *B. Bertrand, C. Nuñez & J.-L. Sarah.* Disease complex in coffee involving Meloidogyne arabicida and Fusarium oxysporum
391 *J. C. Sillero, M. T. Moreno & D. Rubiales.* Characterization of new sources of resistance to Uromyces viciae-fabae in a germplasm collection of Vicia faba
399 *A. Roustaee, G. Barrault, G. Dechamp-Guillaume, P. Lesigne & A. Sarrafi.* Inheritance of partial resistance to black stem (Phoma macdonaldii) in sunflower
405 Book review

NUMBER 4 AUGUST

403 *P. M. Pradhanang, J. G. Elphinstone & R. T. V. Fox.* Identification of crop and weed hosts of Ralstonia solanacearum biovar 2 in the hills of Nepal
414 *P. M. Pradhanang, J. G. Elphinstone & R. T. V. Fox.* Sensitive detection of Ralstonia solanacearum in soil: a comparison of different detection techniques
423 *J. M. Aramburu & M. Rovira.* Incidence and natural spread of apple mosaic ilarvirus in hazel in north-east Spain
428 *S. F. Clarke, D. J. Burritt, P. E. Jameson & P. L. Guy.* Effects of plant hormones on white clover mosaic potexvirus double-stranded RNA
435 *X.-S. Zhang, J. Holt & J. Colvin.* A general model of plant-virus disease infection incorporating vector aggregation
445 *C. Cowger, M. E. Hoffer & C. C. Mundt.* Specific adaptation by Mycosphaerella graminicola to a resistant wheat cultivar
452 *J. P. Carter, H. N. Rezanoor, A. E. Desjardins & P. Nicholson.* Variation in Fusarium graminearum isolates from Nepal associated with their host of origin
461 *A. Santini & P. Capretti.* Analysis of the Italian population of Ceratocystis fimbriata f.sp. platani using RAPD and minisatellite markers
468 *V. Duggal, G. J. Jellis, T. W. Hollins & R. Stratford.* Resistance to powdery mildew in mutant lines of the susceptible wheat cultivar Hobbit 'sib'
477 *W. A. J. M. Dawson & G. L. Bateman.* Sensitivity of fungi from cereal roots to fluquinconazole and their suppressiveness towards take-all on plants with or without fluquinconazole seed treatment in a controlled environment
487 *Y. Zhou, B.D.L. Fitt, S. J. Welham, N. Evans & P. Gladders.* Effects of stem canker (Leptosphaeria maculans) and light leaf spot (Pyrenopeziza brassicae) on yield of winter oilseed rape (Brassica napus) in southern England
498 *T. Gilles, B. D. L. Fitt, R. Kennedy, S. J. Welham & M. J. Jeger.* Effects of temperature and wetness duration on conidial infection, latent period and asexual sporulation of Pyrenopeziza brassicae on leaves of oilseed rape
509 *C. Vigo, J. R. Norman & J. E. Hooker.* Biocontrol of the pathogen Phytophthora parasitica by arbuscular mycorrhizal fungi is a consequence of effects on infection loci
515 *M. A. Eden, R. A. Hill & M. Galpoththage.* An efficient baiting assay for quantification of Phytophthora cinnamomi in soil
523 *M. Ongena, F. Daayf, P. Jacques, P. Thonart, N. Benhamou, T. C. Paulitz & R. R. B langer.* Systematic induction of phytoalexins in cucumber in response to treatments with fluorescent pseudomonads

NUMBER 5 OCTOBER

531 *M. E. Vega-Sánchez, L. J. Erselius, A. M. Rodriguez, O. Bastidas, H. R. Hohl, P. S. Ojiambo, J. Mukalazi, T. Vermeulen, W. E. Fry & G. A. Forbes.* Host adaptation to potato and tomato within the US1 clonal lineage of Phytophthora infestans in Uganda and Kenya
540 *H. Wang, S. F. Hwang, K. F. Chang, G. D. Turnbull & R. J. Howard.* Characterization of Ascochyta isolates and susceptibility of pea cultivars to the ascochyta disease complex in Alberta
546 *R. J. Metcalfe, M. W. Shaw & P. E. Russell.* The effect of dose and mobility on the strength of selection for DMI fungicide resistance in inoculated field experiments
558 *R. B. O'Hara, B. J. Nielsen & H. Østergård.* The effect of fungicide dose on the composition of laboratory populations of barley powdery mildew
567 *G. S. Karaoglanidis, P. M. Ioannidis & C. C. Thanassoulopoulos.* Reduced sensitivity of Cercospora beticola isolates to sterol-demethylation-inhibiting fungicides
573 *K. A. El-Tarabily, M. H. Soliman, A. H. Nassar, H. A. Al-Hassani, K. Sivasithamparam, F. McKenna & G. E. St. J. Hardy.* Biological control of Sclerotinia minor using a chitinolytic bacterium and actinomycetes
584 *H. Murakami, S. Tsushima, T. Akimoto, K. Murakami, I. Goto & Y. Shishido.* Effects of growing leafy daikon (Raphanus sativus) on populations of Plasmodiophora brassicae (clubroot)
590 *B. S. Rodgers-Gray & M. W. Shaw.* Substantial reductions in winter wheat diseases caused by addition of straw but not manure to soil
600 *C. R. Webb, C. A. Gilligan & M. J. C. Asher.* Modelling the effect of temperature on the development of Polymyxa betae

608 *A. B. Estrada, J. C. Dodd & P. Jeffries.* Effect of humidity and temperature on conidial germination and appressorium development of two Philippine isolates of the mango anthracnose pathogen Colletotrichum gloeosporioides
619 *P. R. Harvey, P. J. Butterworth, B. G. Hawke & C. E. Pankhurst.* Genetic variation among populations of Pythium irregulare in southern Australia
628 *V. O. Adenle & K. F. Cardwell.* Seed transmission of maize downy mildew (Peronosclerospora sorghi) in Nigeria
635 *D. L. Davies & A. N. Adams.* European stone fruit yellows phytoplasmas associated with a decline disease of apricot in southern England
640 *M. F. Andrés, J. Pinochet, A. Hernández-Dorrego & A. Delibes.* Detection and analysis of inter- and intraspecific diversity of Pratylenchus spp. using isozyme markers

NUMBER 6 DECEMBER

651 *M. J. Jeger.* British Society for Plant Pathology Presidential Address 1999
659 *I. Aguilar, F. Sánchez & F. Ponz.* Different forms of interference between two tobamoviruses in two different hosts
666 *L. Tran-Nguyen, K. R. Blanche, B. Egan & K. S. Gibb.* Diversity of phytoplasmas in northern Australian sugarcane and other grasses
680 *S. Restrepo, M. C. Duque & V. Verdier.* Charcteriazation of pathotypes among isolates of *Xanthomonas axonopodis* pv. *manihotis* in Colombia
688 *L. J. Turkensteen, W. G. Flier, R. Wanningen & A. Mulder.* Production, survival and infectivity of oospores of *Phytophthora infestans*
697 *R. J. Hijmans, G. A. Forbes & T. S. Walker.* Estimating the global severity of potato late blight with GIS-linked disease forcast models
706 *T. Jung, H. Blaschke & W. Oßwald.* Involvement of soilborne *Phytophthora* species in Central European oak decline and the effect of site factors on the disease
719 *D. L. Adorada, C. L. Biles, C. M. Liddell, S. Fernández-Pavía, K. O. Waugh & M. E. Waugh.* Disease development and enhanced susceptibility of wounded pepper roots to *Phytophthora capsici*
727 *F. Lalaoui, P. Halama, V. Dumortier & B. Paul.* Cell wall-degrading enzymes produced *in vitro* by isolates of *Phaeosphaeria nodorum* differing in aggressiveness
734 *L. A. Mesbah, G. M. van der Weerden, H. J. J. Nijkamp & J. Hille.* Sensitivity among species of Solanaceae to AAL toxins produced by *Alternaria alternata* f. sp. *lycopersici*
742 *P. Curir, B. Danieli, M. Dolci, C. Pasini, L. Guglieri & M. Sacco.* Reductive detoxication of the acetophenone skeleton of the carnation phytoanticipin by *Fusarium oxysporum* f. sp. *dianthi*
748 *N. D. Paveley, D. Lockley, T. B. Vaughan, J. Thomas & K. Schmidt.* Predicting effective fungicide doses through observation of leaf emergence
767 *P. H. Thrall & J. J. Burdon.* Effect of resistance variation in a natural plant host–pathogen metapopulation on disease dynamics
774 *S. Moricca, I. Børja, G. G. Vendramin & P. Raddi.* Differentiation of *Seiridium* species associated with virulent cankers on cypress in the Mediterranean region by PCR-SSCP
782 *L. de Lapeyre de Bellaire, M. Chillet, C. Dubois & X. Mourichon.* Importance of different sources of inoculum and dispersal methods of conida of *Colletotrichum musae*, the causal agent of banana anthracnose, for fruit contamination
791 *X-M. Xu & J. D. Robinson.* Effects of temperature on the incubation and latent periods of hawthorn powdery mildew *(Podosphaera clandestina)*
798 *A. A. Brunt & N. J. Spence.* The natural occurrence of *hibiscus chlorotic ringspot virus* (*Carmovirus*; *Tombusviridae*) in aibika or bele (*Abelmoschus manihot*) in some South Pacific Island countries
799 *S. A. Weller, D. E. Stead, T. M. O'Neill & P. S. Morley.* Root mat of tomato caused by rhizogenic strains of *Agrobacterium* biovar 1 in the UK
800 *J. S. West, N. Evans, S. Liu, B. Hu & L. Peng.* *Leptosphaeria maculans* causing stem canker of oilseed rape in China
801 *P. Cronjé, A. J. Dabek, P. Jones & A. M. Tymon.* First report of a phytoplasma associated with a disease of date palms in North Africa
802 *P. Roggero, M. Ciuffo & R. Lenzi.* Natural infection by *Cucumber mosaic virus* (*Cucumovirus*; *Bromoviridae*) in *Fuchsia boliviana Carr* and the insuseptibility of other *Fuchsia* species and hybrids to the virus
803 *C. R. Wellings, J. J. Burdon, R. A. McIntosh, H. Wallwork, H. Raman & G. M. Murray.* A new variant of *Puccinia striiformis* causing stripe rust on barley and wild *Hordeum* species in Australia
804 *P. Cronjé, A. J. Dabek, P. Jones & A. M. Tymon.* Slow decline: a new disease of mature date palms in North Africa associated with a phytoplasma
805 *B. Henricot, A. Pérez Sierra & C. Prior.* A new blight disease on *Buxus* in the UK caused by the fungus *Cylindrocladium*
806 *R. A. Mumford, L. Potyondi, V. A. Harju & C. M. Henry.* The identification of a phytoplasma from the Aster Yellows group infecting sugar beet in Hungary
807 *M. M. Aly & N. Y. Abd El Ghafar.* Bacterial wilt of artichoke caused by *Ralstonia solanacearum* in Egypt
808 *J. S. West, C. Hughes & R. T. V. Fox. Armillaria mellea* can infect the perennial weed, *Rumex obtusifolius*, in the UK

809 Author index
814 Keyword index